

R-2 桌面型軌道式氣動角度拋光機

R2 Pneumatic angle polishing machine(Table-Rail style)

桌面工作台設計水磨拋光簡單容易。任何角度可拋光滑順平整光亮如鏡


Water polishing is very easy with worktable.

Working great on any angle ; polishing crystal shine.

花崗石 . 大理石 . 人造石材 . 磁磚 . 15 度 30 度 45 度 90 度任何角度皆可快速水磨拋光省時省力

Stone like granite ; marble ; artificial stone or tiles can be polished quickly on any angle.

新型專利
第 M378812 號



產品特色

1. 人造石拋光磚台面石材流理台水磨拋光的好幫手。
2. 使用吸附式快拆水磨頭水磨片拆裝快速定位精準。
3. 輕鬆完成台面流理台角度拋光滑順平整光亮如鏡。
4. 採桌面式工作台設計水磨拋光精準正確簡單容易。
5. 長度多款可供選擇配合場地或工件亦可接受訂製。

Features

1. Working great on kitchen counter which is artificial stone or homogeneous tile.
2. Change backing pads quickly & easily with suction form of backing pads.
3. Polishing on kitchen counter is very easy and make it crystal shine.
4. Water polishing is easy & precise with worktable
5. The length of worktable can be custom -made.

Specifications

Diameter of backing pad: 3"

Speed: 0-4500 rpm

Air press: 6-7Kg

Length: 120CM /150CM /200CM /250CM /300CM & custom-made

產品規格

水磨片規格 80MM


回轉速 4500rpm

使用氣壓 6-7Kg

長度 :120CM/150CM/200CM

250CM/300CM 亦可訂製

新型專利
第 M378809 號



吸附式快拆水磨頭

SUCTION OF BACKING PADS

R-1 吸盤型軌道式氣動角度拋光機

R1 Pneumatic angle polishing machine(Suction-Rail style)

任何角度可拋光滑順平整光亮如鏡 * 採用吸盤固定軌道長短可任意搭配

Working great on any angle and polishing crystal shine

Using suction to fix on surface ; Length of rail is custom-made.

花崗石 . 大理石 . 人造石材 . 磁磚 *15 度 30 度 45 度 90 度任何角度 * 皆可快速水磨拋光省時省力

Materials like granite ; marble ; artificial stone or tiles can be polished quickly on any angle.

產品特色

1. 人造石拋光磚台面石材流理台水磨拋光的好幫手。
2. 使用吸附式快拆水磨頭水磨片拆裝快速定位精準。
3. 輕鬆完成台面流理台角度拋光滑順平整光亮如鏡。
4. 採吸盤固定工作物的方式使用不佔空間攜帶方便。
5. 軌道有 110CM 與 160CM 長短可任意搭配隨心所欲。

Features

1. Working great on kitchen counter which is artificial stone or homogeneous tile.
2. Change backing pads quickly & easily with suction form of backing pads.
3. Polishing on kitchen counter is very easy and make it crystal shine.
4. Using suction to fix on materials does not occupy space and could be portable.
5. The length of rail: 110cm & 160cm can be chosen.

產品規格

水磨片規格 : 3" . 回轉速 : 0-4500rpm. 使用氣壓 : 6-7Kg

長度 : 110CM. 160CM. 220CM. 270CM. 320CM 可無限延長


Specifications

Diameter of backing pad: 80MM

Speed: 0-4500 rpm

Air press: 6-7Kg

Length: 110CM / 160CM / 220CM / 270CM / 320CM & custom-made



MX1230 手提石材倒角機

MX1230 Portable grounding edge machine

石材磁磚安裝後或翻新整修專用 * 針對工地現場倒角施工特別設計 * 安裝或整修石材美容的不二選擇

MX1230 is specific for completed tile installation and restoring.

Specially designed for construction site. Best for stone restoration & installation.

產品特色

1. 重量輕體積小攜帶最方便。
2. 更換模具任何形狀皆可倒角成型。
3. 回轉數 11000RPM 快速完成倒角成型。
4. 重量輕地面牆面都輕鬆快速完成工作。

Features

1. Mx1230 is very light and portable.
2. Mx1230 can ground on any shape by changing wheel.
3. Doing job quickly with 11000RPM.
4. Doing great on ground and wall with light body designed.

產品規格

石材磁磚厚度 10-20MM * 使用電壓 110V 或 220V*

轉速 11000rpm * 重量 4.3Kg*

Specifications

Capability: 10-20mm Voltage: 110V / 220V Speed: 11000rpm Weight: 4.3Kg



W-38 中心注水式高速單吸盤鑽孔機

W-38 center injection high-speed single sucker drilling machine

石材磁磚建材小孔徑鑽孔專用 * 針對 6/8/10/12 塑膠螺栓設計 * 安裝衛浴廚櫃門窗的不二選擇 *


Specifically designed for plastic bolts of 6/8/10/12mm

The best choice to install implements such as bathroom & window works.



產品特色

1. 採中心注水式冷卻效果最好鑽頭最耐用。
2. 附有壓力水桶省水省錢用水免煩惱
3. 吸盤固定不破壞石材表面 定位精準無誤。
4. 高速回轉快速完成鑽孔磁磚決不損壞破裂。
5. 重量輕地面牆面任何平面都輕鬆定位鑽孔。
6. 實心鑽頭無排泄不良的鑽孔問題。



Features

1. Adopting center injection cooling system , performing great durability.
2. Work with portable water bucket ; enjoy brand new concept.
3. Sucker fixed does not make damage on stone surface also provide precise position.
4. Complete drilling job fast without making any damage on tile by high-speed round.
5. Ultimately light,W-38 can easily be positioned on any surface wherever ground or wall.
6. Solid drill bit: No dust accumulate inside the hole anymore.

產品規格

鑽孔直徑 6-12MM * 深度 30MM * 電壓 110V*220V* 轉速 15000rpm * 吸盤附著力 50Kg * 重量 3.8Kg*

Specifications:

Hole diameter: 6-12mm


Drilling depth: 30mm

Voltage: 110V/220V

Speed: 15000rpm

Suction cup pressure: 50Kg

Weight :3.8Kg



D45N 斜邊切割機

D45N Bevel cutting machine

針對磁磚石材安裝斜面切割問題而設計 * 磁磚或石材 45 度切割工程最佳選擇 *

D45N is designed for 45 degrees chamfering to solve the problem of Bevel Installation , and it is portable and can be used in any length ; The best choice of 45° cutting works.

產品特色

1. 使用鑽石鋸片經濟實惠又便利。
2. 以工作物為基準面 45 度角直線準確美觀。
3. 重量輕體基小攜帶方便任何長度皆可使用。
4. 石材磁磚正背斜切割輕鬆快速完成品質最佳。

Features

- 1.It is economical and convenient by using diamond blade.
- 2.Take work piece as the datum plane,D45N can cut 45° accurately.
- 3.Extremely light and portable for any length.
- 4.Make work piece the best quality with high efficiency



石材加工完成圖 Manufacturing drawing

產品規格

切割角度 45 度 * 切割厚度 10MM-40MM *

使用電壓 110VC 或 220V* 轉速 6000rpm* 重量 10Kg*

Specifications

Cutting angle: 45° * Cutting thickness: 10MM-40MM *

Voltage: 110V or 220V* Speed: 6000rpm* Weight: 10Kg*


CO-2 真空吸盤背栓中心注水式擴孔機

CO-2 vacuum sucker back bolt center injection reaming machine

外牆乾式安裝必備工作利器。石材乾式安裝 背栓擴孔。
配合進口專利背栓釘規格。8mm 10mm 12mm 14mm 背栓鑽頭

Dry type installation of external wall ; Designed for back bolts.

Fit imported specification of patented back bolted drill bit 8/10/12/14mm back bolted drill bit



石材加工完成圖 Manufacturing drawing

產品特色

1. 真空吸盤任何不平整石材皆可固定不破壞石材。
2. 主軸中心孔出水冷卻效果最好耗材最省。
3. 回轉數 12000RPM 快速完成擴孔（外小內大）
4. 實心鑽頭無排泄不良問題。

Features

1. Vacuum sucker: Set on non-flat surface without making any damage.
2. Center injection cooling system: performing great durability.
3. 12000rpm: fast counter bore.
4. Solid drill bit: No dust accumulate inside the hole anymore.



產品規格

鑽孔能力 8-12MM
鑽孔深度 16MM
電壓 110V*220V
轉速 12000rpm
真空附著力 100Kg
重量 14.2Kg

Specifications

Hole diameter: 8-12mm
Drilling depth: 16mm
Voltage: 110V/220V
Speed: 12000rpm
Suction pressure: 100Kg
Weight: 14.2Kg

CO-3 真空吸盤注水式側邊鑽孔機


CO-3 vacuum sucker side-drilling machine

外牆石材乾式安裝必備工作利器。附有固定尺規側邊鑽孔定位準確。配備壓力水桶用水免煩惱

The best machine for dry type installation on exterior wall.

CO-3 can position accurately with fixed ruler

High mobility with portable water bucket.



產品特色

1. 真空吸盤任何不平整石材皆可固定不破壞石材。
2. 主軸中心孔出水冷卻效果最好耗材最省。
3. 回轉數 12000RPM 快速準確完成側邊鑽孔
4. 真空吸引固定任何石材都能輕鬆快速完工。
5. 實心鑽頭無排泄不良問題。
6. 配備壓力水桶用水免煩惱。



Features

1. Vacuum sucker: Set on any non-flat surface without making any damage.
2. Adopted center injection cooling system, it would perform great durability.
3. Complete side drilling precisely with 12000rpm.
4. Co-3 can be set on any surface with vacuum sucker.
5. Solid drill bit: No dust accumulate inside the hole anymore.
6. High mobility with portable water bucket.

產品規格

鑽孔 8-12MM
電壓 110V 或 220V
轉速 12000rpm
真空附著力 100Kg
重量 11Kg

Specifications

Hole diameter: 8-12mm
Voltage: 110V/220V
Speed: 12000rpm
Vacuum sucker pressure: 100Kg
Weight: 11Kg



Q-3 水浮式曲線內圓拋光加工機

Q-3 HYDRO-FLOAT internal curve polisher

各種石材內圓外圓或任何曲線水磨拋光。回轉數可調整任何石材皆可使用
Q-3 can polish any stone and do whatever internal or external of curve with adjustable speed.



產品特色

1. 水浮力底盤不刮傷石材表面。
2. 主軸中心孔出水冷卻效果最好耗材最省。
3. 回轉數可調整 0-8500PM 任何石材皆可使用。
4. 使用圓柱型軟磨拋光輪工作效率最快速。

Features

1. Hydro-Float: make no damage on stone surface.
2. Center injection cooling system: Q-3 perform great durability.
3. Speed adjustment: Do polish on any stone with 0-8500rpm.
4. Cylinder soft polishing wheel: High efficiency.

產品規格

水磨能力 1-4CM
電壓 110V 或 220V
轉速 0-8500rpm
重量 7.6Kg

Specifications
Capability: 1-4CM
Voltage: 110V/220V
Speed: 0-8500rpm
Weight: 7.6Kg



R-3 手提式電動角度拋光機

R-3 electric angle-polishing machine

任何角度可拋光滑順平整光亮如鏡 * 攜帶方便不佔空間隨時隨地皆可使用

Working great on any angle with crystal shine. Portable & Does not occupy space.

花崗石 . 大理石 . 人造石材 . 磁磚 *15 度 30 度 45 度 90 度任何角度 * 皆可快速水磨拋光省時省力

Stone like granite ; marble ; artificial stone or tiles can be polished quickly on any angle.

產品特色

1. 天然石材人造石材拋光石英磚水磨拋光的好幫手。
2. 輔助台設計輕鬆完成石材角度拋光水磨。
3. 工件長度無限制操作順手適用性廣泛。
4. 可搭配吸附式快拆水磨頭水磨片拆裝快速。

Features

1. Works great on polishing natural stone, artificial stone and homogeneous tile.
2. Complete angle-polishing easily by having special support tool.
3. Operate easily and widely without length limit.
4. Change backing pads fast & easily with suction form of backing pad.

產品規格

水磨片規格 3" 或 4" 電壓 110V 或 220V* 回轉速 0-4500rpm* 重量 12Kg*

Specifications

Diameter of backing pad: 3"or4" Voltage:110V/220V Speed: 0-4500rpm Weight:12Kg



R3A 手提式氣動角度拋光機

R-3A pneumatic angle-polishing machine

任何角度可拋光滑順平整光亮如鏡 * 攜帶方便不佔空間隨時隨地皆可使用

Working great on any angle with crystal shine. Portable & Does not occupy space.

花崗石 . 大理石 . 人造石材 . 磁磚 *15 度 30 度 45 度 90 度任何角度 * 皆可快速水磨拋光省時省力

Stone like granite ; marble ; artificial stone or tiles can be polished quickly on any angle.

產品特色

1. 天然石材人造石材拋光石英磚水磨拋光的好幫手。
2. 輔助台設計輕鬆完成石材角度拋光水磨。
3. 工件長度無限制操作順手適用性廣泛。
4. 可搭配吸附式快拆水磨頭水磨片拆裝快速。

Features

1. Works great on polishing natural stone, artificial stone and homogeneous tile.
2. Complete angle-polishing easily by having special support tool.
3. Operate easily and widely without length limit.
4. Change backing pads fast & easily with suction form of backing pad.

產品規格

水磨片規格 80MM100MM* 石材厚度 10-20MM * 使用氣壓 6-7Kg * 轉速 11000rpm * 重量 9.5Kg*

Specifications

Diameter of backing pad: 3"or4" Stone Thickness: 10-20mm Air pressure: 6-7Kg Speed: 11000rpm Weight: 9.5Kg

